



Advanced Finishing U.S.A.

Custom Powder Coating



The largest custom powder coater in the northeastern USA.

70,000 sq. ft. of state of the art finishing

Unmatched Capacity at Unbeatable Prices

- High Volume Production Finishing
- Flexible Volume Custom Coating
- **40' L x 10' H x 8' W** Current Max. Part Size
- 2 Automatic Lines with 25' L. max. Capacity
- 2 Quick Turnaround Spray/Dip Lines
- 4 Large Batch Ovens with Spray Booths
- High Performance Corrosion Coatings
- Sandblasting and Glass Beading
- Passivation and pickling of Stainless Steel
- 2 Color and 2 Coat Systems
- Sub-assembly, Final Assembly, and Packaging

Check Out Our Website For More Information

www.afusa.net Or Email Us At: afusa@velocity.net

Advanced Finishing U.S.A.

Custom Powder Coating

7401 Klier Drive • Fairview PA 16415 • 814-474-5200 • Fax: 814-474-5205

MULTI-METAL LINE

- 18' L x 6' H x 3' W Product Capacity
- 8,000 sq.ft./hr. Production Capability
- 6 Stage Washline with Iron Phosphat
- Bi-metal Seal with R/O Rinses
- 2 Spray Booths for 2-coat or 2-color
- On Line Assembly and Packaging
- PACCAR Approved

BATCH FACILITY

- 40' L x 10' H x 8' W Product Capacity
- 4 Independent Batch Ovens with Booths
- State of the Art Spray Equipment
- Custom Fixturing Facility
- Full Masking Capability

QUICK TURN SPRAY-DIP LINE

- 36" L x 36" H x 24" W Product Capacity
- Up to 30 Mils @ 1200 Volts Per Mil
- Complex Masking and Fixturing
- Minimal Lead Time for Smaller Jobs

COATING TYPES

- 2 Coat and 2 Color Systems
- Zinc Rich and Epoxy Primers with TGIC Polyester Topcoat
- Polyester
- Epoxy
- PVC
- Nylon
- Kynar/Halar
- K-F Polymer
- Teflon

ARCHITECTURAL ALUMINUM LINE

- 25' L x 5' H x 3' W Product Capacity
- 3,000 sq.ft./hr. Production Capability
- GE Betz Non-Chrome Conversion Coating
- R/O Rinses for Cleaner Parts
- 2 Spray Booths for 2-coat or 2-color
- Designed for Railing and Extrusions
- Meets AAMA 2604-98 Requirements

CORROSION FACILITY

- 20' L x 5' H x 5' W Product Capacity
- 750 F Maximum Working Temperature
- 100% Holiday Testing to 7500 Volts
- Up to 50 Mil Thickness Capacity

SUPPORT FACILITIES

- Aluminum Oxide Sand Blasting
- Steel Shot Wheelabrator
- Glass Bead Blasting
- 12' L x 12' H x 16' W Steam Clean Room
- 2 EPA Approved Burn Off Ovens
- Chemical Stripping

CUSTOMERS AND CERTIFICATIONS

Zurn	Motorola
IBM	Alstom
Xerox	Adtranz
John Deere	Freightliner
Caterpillar	Lord
GE	Allen Bradley
Bombardier	Curtis Wright

Paccar Approved • ISO 9002 Compliant



Check Out Our Website For More Information

www.afusa.net • Or Email us at: afusa@velocity.net